

Amendments to the Claims:

Please amend Claims 1 through 6 to read, as follows.

1. **(Currently Amended)** A developer supply container substantially non-rotatably mountable, with a developing device for developing an electrostatic image with a developer, device; to a rotatable member provided in an image forming apparatus, said developer supply container being adapted to supply a developer into the developing device therefrom with rotation of the rotatable member, said developer supply container comprising:

- a container body for containing the developer;
- a discharging opening, formed in a peripheral surface of said container body, for permitting downward discharge of the developer;
- a feeding portion, provided on an inside surface of ~~[[in]]~~ said container body, for feeding the developer in a feeding direction toward said discharge opening with rotation of said rotatable member; and
- a developer movement constraining portion, provided adjacent a position opposed to a position of facing said discharge opening on the inside surface of ~~within in~~ said container body, independently of said feeding portion, for constraining the developer which is reversed into said container body through said discharge opening when said discharge opening faces upward with rotation of said rotatable member, from moving in a direction opposite to the feeding direction.

2. **(Currently Amended)** A developer supply container according to Claim 1, wherein said developer movement constraining portion includes a projected portion which is projected from the ~~[[an]]~~ inside surface of said container body, said projected portion extending ~~[[body]]~~ in a direction substantially perpendicular to the feeding direction.

3. **(Currently Amended)** A developer supply container according to Claim 1 or 2, further comprising a developer rotational movement constraining portion ~~rotation~~ ~~constraining portion~~ for constraining movement of the reversed developer from making a rotational movement ~~moment~~ along the inside surface of said container body with rotation of the developer.

4. **(Currently Amended)** A developer supply container according to Claim 3, wherein said developer rotation movement ~~rotation~~ constraining portion includes a projected portion which is projected from the inside surface of said container body, said projected portion extending ~~[[body]]~~ in a direction substantially perpendicular to the rotational movement ~~moment~~ of the developer.

5. **(Currently Amended)** A developer supply container according to Claim 4, wherein said developer constraining portion and said developer rotational movement ~~the rotation~~ constraining portion are integral with each other.

6. **(Original)** A developer supply container according to Claim 1, wherein said feeding portion is provided with a guiding portion for guiding a part of the developer fed

toward said discharge opening to a position downstream of said discharge opening with respect to the feeding direction.